



HUME DOORS & TIMBER

100% Australian Owned



Pinetrim PLUS

Pre-primed Ready to Finish Timber Door Jamb,
Window Reveal, Skirting & Architrave, & Mouldings

2026

SKIRTING & ARCHITRAVE PRODUCT CATALOGUE



CONTENTS

Pinetrim PLUS

Pre-primed Ready to Finish Timber Door Jamb,
Window Reveal, Skirting & Architrave, & Mouldings

Pinetrim Plus provides a durable foundation coat consisting of a primer and undercoat system which is pre-sanded and ready for top coat application.

PINETRIM PLUS PRODUCT INFORMATION, INSTALLATION & USE

3	Product Benefits	3	Environmental Commitment
3	Points to Consider	3	FSC® Certification

PINETRIM PLUS PROFILE DRAWINGS

4	Dressed All Round:	17	11mm Australian Colonial
4	11mm DAR S4S	17	18mm NSW Colonial
5	18mm DAR S4S	18	18mm NSW Step
6	18mm DAR E4E	18	11mm Classic
9	30mm DAR E4E	19	18mm NSW Classic
9	42mm DAR S4S	19	18mm Olympic
10	Skirting & Architrave:	20	18mm Berkley
10	11mm Bullnose	20	11mm Coolum Cove
10	18mm Bullnose	21	The Millyard Collection
11	11mm Single Bevel	21	Skirting & Architrave:
11	18mm Single Bevel	21	Premium Mouldings
12	11mm Pencil Round	23	Small End Section Mouldings:
12	18mm Pencil Round	23	Quad
13	18mm Territory Bevel	23	Cladding Products:
13	18mm Splayed	23	Lining Board
14	11mm Half Splayed	24	Window Reveal
14	18mm Half Splayed	26	Door Jambs:
14	18mm Melbourne Half Splayed	26	Single Rebated
15	18mm QLD Lambs Tongue	28	18mm Beveled Loose Stop Jamb Set
15	18mm Lambs Tongue	28	30mm Loose Stop Jamb Set
16	11mm Colonial #1		
16	11mm Colonial #2		
16	18mm Colonial B		

WARRANTY

31	Hume Doors & Timber Warranty
----	------------------------------

BRANCH LOCATIONS

32	Hume Doors National Locations
----	-------------------------------



PRODUCT INFORMATION, INSTALLATION & USE

Pinetrim^{PLUS}

Pre-primed Ready to Finish Timber Door Jamb,
Window Reveal, Skirting & Architrave, & Mouldings

Pinetrim Plus is manufactured from plantation grown FSC and PEFC certified Radiata pine. Product benefits are:

- **Maximum Stability:** Pinetrim Plus is produced from a defect free, finger jointed Radiata product.
- **Defect Free:** The priming and sanding process has been developed to provide an imperfection-free finish.
- **Superior Paint Finish:** The three-coat priming system used in the manufacture of Pinetrim Plus has been developed over 10 years and proven to be hard wearing whilst giving a superior base for a second-to-none final paint finish.

Points to Consider:



How To Specify

Pinetrim Plus suits all applications and requirements within the residential and commercial markets. The following must be considered before use of the product:

- Site-specific conditions, moisture, fixing point;
- Durability requirements of all fastenings;
- Regional or local building codes for treatment requirements;
- Anything else relevant to the project.



Installation & Fixing

- Ensure all cutting tools and saw blades are sharp and in good order for best performance. A finishing blade with a thin kerf or high tooth count is recommended when using power saws.
- Prepare boards by lightly sanding and priming all cut ends with premium acrylic primer undercoat.
- 11mm thick Pinetrim Plus mouldings should be fastened with a 38mm finishing brad.
- 18mm thick Pinetrim Plus mouldings should be fastened with a 50mm finishing brad.
- 30mm thick Pinetrim Plus mouldings should be fastened with a 63mm finishing brad.
- It is important not to over-fix Pinetrim Plus. We do not recommend nailing within 20mm of the profile end, as splitting may occur.
- When joining the profile, mitre cuts should be used and the joint must be glued using either a PVA or PU adhesive.
- Pinetrim Plus can also be fixed using a contact and wall adhesive in accordance with the manufacturer's instructions.



Painting

Prior to painting fill all nail holes from the fixing process with a quality acrylic or wood filler. Once cured, sand excess filler with a 180 grit sandpaper.

- Ensure mouldings are free of dust and dirt prior to painting.
- Apply two coats of either acrylic, enamel or latex paint, sanding between coats to achieve the ultimate finish.
- For best results, we recommend Pinetrim Plus is painted within one month of installation.



Hume Safety

- Ventilated working areas.
- PPE (Personal Protective Equipment).
- Correct tools for the job.

Environmental Commitment:







Hume Doors & Timber is committed to operating its entire business in an environmentally sustainable manner at all times including but not limited to:

- Hume solar power scheme – Reducing our carbon footprint.
- Reusing and recycling by-products, packaging and waste material.
- Reducing the levels of consumables used.
- Capturing, storing and using rainwater for our water needs.
- Maximise transport needs, thus reducing our energy requirements.


FSC Certification:

- Hume Doors & Timber is also a certified member of the Forest Stewardship Council (SGS HK – CoC-010386, SGS HK – CoC- 330930, SA – CoC- 003052).


Dressed All Round | 11mm DAR S4S



Dressed All Round | 18mm DAR S4S



18 x 18mm DAR S4S




31 x 18mm DAR S4S




42 x 18mm DAR S4S




66 x 18mm DAR S4S




90 x 18mm DAR S4S




98 x 18mm DAR S4S



110 x 18mm DAR S4S



116 x 18mm DAR S4S








138 x 18mm DAR S4S








185 x 18mm DAR S4S








Dressed All Round | 18mm DAR E4E






Dressed All Round | 18mm DAR E4E (continued)



Dressed All Round | 18mm DAR E4E (continued)






Dressed All Round | 30mm DAR E4E








Dressed All Round | 42mm DAR S4S






11mm Bullnose






18mm Bullnose






11mm Single Bevel





18mm Single Bevel






11mm Pencil Round






18mm Pencil Round






18mm Territory Bevel




18mm Splayed



11mm Half Splayed






18mm Half Splayed







18mm Melbourne Half Splayed






18mm QLD Lambs Tongue





18mm Lambs Tongue





11mm Colonial #1





11mm Colonial #2






18mm Colonial B






11mm Australian Colonial





18mm NSW Colonial






18mm NSW Step




11mm Classic





18mm NSW Classic





18mm Olympic




18mm Berkley




11mm Coolum Cove




The Millyard Collection | AM-4 | AM-3 | AM-1




66 x 18mm Millyard Collection AM-4




90 x 18mm Millyard Collection AM-4



135 x 18mm Millyard Collection AM-4








66 x 18mm Millyard Collection AM-3





42 x 15mm Millyard Collection AM-1



The Millyard Collection | AM-5 | AM-2




Small End Section Mouldings





Lining Board








Window Reveal







Window Reveal (continued)




Single Rebated Door Jamb




Single Rebated Door Jamb (continued)



18mm Beveled Loose Stop Jamb Set



30mm Loose Stop Jamb Set





Supporting Product Information

For further information, contact us for a copy of our product catalogues:

PINETRIM XT®

H3 LOSP Pre-primed Timber Chamfer Weatherboard & Moulding Profiles

Pinetrim XT® comprises timber chamfer, weatherboards, structural products and moulding profiles, together with all associated timber componentry that is supplied pre-sanded and pre-primed and undercoated with an acrylic paint system, ready for installation.

Pinetrim XT® is manufactured from finger jointed, glue laminated Radiata Pine timber products that have been treated to H3.1, meaning it is suitable for use as an external product range.



PINETRIM XT®

H3 LOSP Pre-Primed Structural Beams, Bearers, Joists & Rafters

TECHNICAL MANUAL: F7 | GL8

Pinetrim XT® F7 and GL8 comprises a full range of timber for your structural requirements.

This product has been designed in conjunction with all required building practices for external deck, pergola, patio and gazebo projects.

Pinetrim XT® F7 and GL8 products are manufactured from finger jointed, glue laminated Radiata Pine timber that has been treated to H3.1 — meaning that it is suitable for external above ground uses.





Supporting Product Information

For further information, contact us for a copy of our product catalogues:

SILKTRIM

HMR MDF Moulding Profiles, Skirting & Architraves

Silktrim mouldings are manufactured to allow for a straightforward and rapid installation, while providing the perfect primer for an excellent paint finish. Elegant styles and stable engineered construction, is why Silktrim is the sought after option for final fit out stages in new homes and commercial developments.



MERANTI

Solid Hardwood Interior Moulding Profiles

Meranti is a hardwood with soft characteristics making it perfect for decorative purposes such as skirtings, architraves, jambs, reveals, panelling, joinery and window frames.

Meranti Mouldings are suitable for interior applications that require a high quality stain-grade finish.





WARRANTY

This Warranty applies to Hume Doors & Timber Pinetrim Plus products supplied for use as an internal finishing timbers / moulding product.

Warranty Period:

- 5 years from proven date of purchase.
- All inquiries relating to this Warranty must be directed to the supplier or installer in the first instance.

Hume Doors & Timber Warrants That:

At the time of delivery to the merchant or site (where applicable), Pinetrim Plus will be free from factory defects and conforms to the current Hume Doors & Timber warranted condition.

In The Event of Proven Product Failure of Pinetrim Plus Products to Meet the Warranted Condition, Subject to the Terms of This Warranty, the Following Applies:

- Hume Doors & Timber will at its discretion, supply replacement Pinetrim Plus product without charge, or refund the value of the product. The installer will be responsible for the cost of removing and installing any replacement materials.
- Other losses or damage caused by product failure are not covered.
- Hume Doors & Timber's obligations under this Warranty are limited to the replacement of defective Pinetrim Plus product or the value of the Pinetrim Plus Product. The value of the materials will be reduced pro-rata based on the remaining life of the product.
- Hume Doors & Timber reserves the right to supply other compatible materials for repair should the warranted materials no longer be supplied by Hume Doors & Timber.

This Warranty is Subject To:

- Proof of date of purchase of the product.
- Evidence of failure.
- Receipt of a written claim from the claimant either within 30 days of when the defect would have become reasonably apparent, or, if the defect was reasonably apparent prior to installation, then the claim must be made prior to installation. The claim must include full details of the alleged defect, including a copy of the proof of purchase. Any claim is subject to inspection by Hume Doors & Timber before any remedial action is undertaken.
- Evidence satisfactory to Hume Doors & Timber that all storage, handling and maintenance requirements (as advised by Hume Doors & Timber) has been carried out.
- The Warranty does not cover failure or problems caused by defective use, failure relating to improper design of the project structure, structural failure, settlement, movement of materials to which the product is attached or dependent on, acts of God including but not limited to earthquakes, cyclones, floods or other severe weather conditions, inadequate maintenance, growth of mould, mildew, fungi, bacteria or any organism on any product, or has acts or omissions of a third party over whom Hume Doors & Timber has no control.
- The Warranty does not cover product failure arising from the failure to follow Hume Doors & Timber design, installation, storage, handling or maintenance advice.
- Normal wear and tear is excluded from this Warranty.

CONTACT DETAILS



HUME DOORS
& TIMBER

QUEENSLAND



HUME DOORS & TIMBER (QLD) PTY LTD

ABN 25 009 994 996

86–92 Mudgee Street, Kingston QLD 4114
PO Box 2243, Logan City D.C. Qld 4114
P | 07 3489 6200
E | sales@humedoorsqld.com.au

Cairns Branch

4-6 Ponzo Street, Woree, QLD 4868
P | 07 4041 2099
E | hdtcairns@humedoorsqld.com.au

Sunshine Coast Branch

14 Junction Drive, Coolum Beach Qld 4573
P | 07 5446 2640
E | ncsales@humedoorsqld.com.au

Northern Territory Branch

3 Adams Road (Cnr Beresford),
Yarrowonga NT 0830
P | 08 8932 3733
E | hdtnt@humedoorsqld.com.au

NEW SOUTH WALES



HUME DOORS & TIMBER – (AUST) PTY LTD

ABN 39 001 472 493

Sydney Office & Showroom

120 Hume Highway, Lansvale NSW 2166
PO Box 333, Cabramatta NSW 2166
P | 02 9794 1111
E | info@humedoors.com.au

Port Macquarie Branch

No.2 Belah Road, Port Macquarie
NSW 2444
P | 02 6581 0011
E | pmsales@humedoors.com.au

Newcastle Branch

5 Hartley Drive, Thornton, NSW 2322
P | 02 4966 8880
E | nclsales@humedoors.com.au

VICTORIA



HUME DOORS & TIMBER (VIC) PTY LTD

ABN 87 006 329 906

33 Remington Drive, South Dandenong VIC 3175
PO Box 4236, South Dandenong VIC 3164
P | 03 9799 6888
E | hdtvic@humedoors.com.au

Tasmanian Branch

5 Hudson Fysh Drive, Western Junction
Tasmania 7212
PO Box 393, Prospect Tasmania 7250
P | 03 6774 9100
E | tassales@humedoors.com.au

SOUTH AUSTRALIA



HUME DOORS & TIMBER (SA) PTY LTD

ABN 34 007 512 209

89 Heaslip Road, Burton SA 5110
PO Box 2037, Salisbury Downs SA 5108
P | 08 8280 2000
E | hdtisa@humedoors.com.au

WESTERN AUSTRALIA



HUME DOORS & TIMBER (WA) PTY LTD

ABN 62 009 421 569

75 Briggs Street, Carlisle WA 6101
PO Box 118, Welshpool WA 6986
P | 08 9470 1800
E | hdtwa@humedoors.com.au

“Disclaimer: Hume Doors & Timber reserves the right to alter or amend without prior notice, any data, dimensions and design details specified herein. Photographs or illustrations may not depict the exact design or specification and may vary to the actual product. Timber is a natural material and colour, texture and grain variation can occur. These are not considered defects. Timber products are supplied unfinished unless otherwise specified.”